Formula:

Wite-Out® Water Based Correction Fluid

MSDS/T203797 Page: 1 of 3

May 25, 2001

MATERIAL SAFETY DATA SHEET

Manufacturer

MSDS Preparer:

Date: May 25, 2001

Supersedes: October 21, 1998

Wite-Out Products, Inc.

SGS U.S. Testing Company, Inc.*

Page 1 of 3

Fountain Inn, SC 29644

Tel: (201) 575-5252

800-424-9300 (CHEMTREC) Information Telephone No.

*Specific Technical information provided by manufacturer

(203) 783-2103

I. PRODUCT INFORMATION

Identity

: Wite-Out® Water Based Correction Fluid

Chemical Name

Not Available (N/A) N/A

Chemical Family
CAS Registry Number

N/A

DOT Shipping Name

1 (/ /)

DOTAL OF ON

N/A

Component(s)
Ethylene Glycol

<u>CASRN</u> 107-21-1 <u>%</u> 1-10 OSHA PEL N/A ACGIH TLV N/A

OTHERS
Ceiling
OSHA/ACGIH
100 mg/m³

Formula:

Health Hazard (Acute or Chronic)

Wite-Out® Water Based Correction Fluid

MSDS/T203797 Page: 2 of 3 May 25, 2001

	IV. FIRE AND EXPLOSION HAZARD DATA (CONT.)					
	Special Fire Fighting Procedures		Wear self-conta	inad hrad	thing apparatus	
			J-			
	•					
	Unusual Fire and Explosion Hazards	:	None known.		-	
	V. REACTIVITY DATA		****			
	Stability		<u> </u>	,,,	a	
	-					
	A.9/					
,	Fee res					
<u>(</u>						
•	·					
	Materials to Avoid Hazardous Decomposition Products Hazardous Polymerization Products	: - : ·	None known. None known. [] May Occur	[X]	May Not Occur	
	VI. HEALTH HAZARD DATA					
	Carcinogen or Potential Carcinogen			NTP: N/A	IARC:	<u>OSHA:</u>

Formula:

Wite-Out® Water Based Correction Fluid

MSDS/T203797 Page: 3 of 3 May 25, 2001

VIII. CONTROL MEASURE	TROL MEASURE	ITROL MEASU	NTROL MEAS	CONTR	VIII.
-----------------------	--------------	-------------	------------	-------	-------

Respiratory Protection

Ventilation

Protective Gloves

Eye Protection

Other Protection Equipment or Clothing

Work Hygiene Practice

: None necessary under normal conditions.

: [] Local [X] Mechanical [] Special [] Other

Chemical resistant gloves when handling bulk.

Not required except when handling bulk.

None required.

Standard good industrial hygiene practice

recommended.

IX. REGULATORY INFORMATION

California Proposition 65

This product complies with the labeling requirement of

the California Safe Drinking Water and Toxic

Enforcement Act of 1986.

All components in this sendent are listed on the TOOA

Others

inventory or are exempted from TSCA.

This product does not contain chemical shown to deplete

the ozone layers.

Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, believe that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, (references to Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, including its divisions, affiliates, and subsidiaries), Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No